# KLW-S4

https://www.gigahertz-optik.com/en-us/product/klw-s4/

Product tags: UV, VIS, NIR

$$I_{(x-y)nm}$$

Gigahertz Optik GmbH 1/3

### **Description**

The radiant intensity of a light source, is the emitted light in a given direction. Radiant intensity is the radiometric measurement quantity used to calibrate directionally emitted light from lamps. Radiant intensity is measured with a irradiance detector equipped with precise front aperture then calculated from the measured irradiance and the solid angle resulting from the light source to aperture distance and the aperture diameter. A factory calibration certificate is provided.

### **Purchasing information**

| Article-Nr  | Modell    | Description   |
|-------------|-----------|---|
| Calibration |           |   |
|             | KLW-S4-01 | Spectral Radiant Intensity of Spot lamps. Contact the factory to discuss calibration details. |
|             | KLW-S4-RP | Set-up charge for non-Gigahertz-Optik sources   |

Gigahertz Optik GmbH 2/3

### **Contact, Calibration, Service & Support**

We are known worldwide for excellent technical consulting and after sales support. Contact us to find together the best solution for you. Our services:

- Technical Consulting & Sales
- After-Sales Support
- Calibrations & Re-Calibrations (<u>ISO/IEC 17025 Calibration Services, factory calibration</u>, <u>Calibration of Third-Party Products</u>)
- Repairs & Updates
- OEM & Feasibility Consulting of Customized Solutions

<u>Send us your inquiry</u> or contact us by phone or e-mail. We would welcome your feedback too or review us on <u>Google</u>.

#### **Gigahertz Optik GmbH (Headquarter)**

Tel.: +49 (0)8193-93700-0 Fax: +49 (0)8193-93700-50 info@gigahertz-optik.de

An der Kaelberweide 12 82299 Tuerkenfeld, Germany

## **Gigahertz-Optik, Inc. (US office)**

Phone: +1-978-462-1818 info-us@gigahertz-optik.com

Boston North Technology Park Bldg B - Ste 205 Amesbury, MA 01913 USA

Gigahertz Optik GmbH 3/3